WELLTRUST

Well Trust(Tianjin) Tech. Co., Ltd

Well Trust(Tianjin) Tech. Co., Ltd, Established in 2005, is the professional medical devices manufacturer and exporter. Our main products include: Surgical Power Tools, Spinal System, Intramedullary Nail System, Trauma Plate System, Sport Medicine, General Surgical Instrument, External Fixator and other surgery equipment for both Human and Veterinary. We located in Tianjin, the second biggest city in north China. In the past years, we have been insisting on offering high-quality products and providing the best after-sale service to customers, and win very good feedback and reputation in the whole world. Well Trust has expanded business not only in China market, but also to over 100 countries in the whole world.


EC Certificate


Certificate


CERTIFICATE FOR EXPORTATION OF MEDICAL PRODUCTS



+86 13352097710

Nankai District, Tianjin, China

www.well-orthopedic.com

www.wtt-arthroscopy.com

WELLTRUST

Well Trust(Tianjin) Tech. Co., Ltd



Sports Medicine



CONTENTS

1 Equipments and consumables

4K UHD Medical Endoscope Camera System	3
FHD Medical Endoscope Camera System	4
Plasma Radiofrequency Surgical System	5
Shaver Systems	6
Disposable Shaver Blades and Burs	7
Disposable Radiofrequency Plasma Surgical Electrodes	9
Disposable Arthroscopic Access Cannulae	11
Arthroscopic Hand Instruments	13
Disposable Medical Irrigator	15

2 Implants

Non-absorbable Suture Anchor	18
PEEK Suture Anchor	19
Suture Button	21
PEEK Staple-sheath Fixation System	25
Meniscus Suture System	27
U-shaped Nail	28
Non-absorbable Surgical Sutures	31

CONTENTS

3 Instruments

Knee Operating Instrument	35
Hip Operating Instrument	40
Shoulder Joint Surgical Instrument	43
Acromioclavicular Dislocation Instrument Set	54
Ankle Surgical Instrument	57
Foraminoscopic Surgical Instrument	61
ACL/PCL Instrument	65
Interface Nail Instrument	80
Cartilage Removal Instrument	83
Meniscus Revision Instrument	84
Suture Hook	87
Probe/Tap	91
Glenoid Labrum Revision Instrument	93
Microfracture Instrument	97
Ligamenta Talofibulare Anterius Reconstruction	103
Heel Tendon Ligament Instrument	104

4 Arthroscopy Traction Device 109



Well Trust

SPORT MEDICINE

PART 1


Equipments and Consumables

+86 13352097710

Nankai District, Tianjin, China

www.well-orthopedic.com

www.wtt-arthroscopy.com



4K UHD Monitor
4K 医用监视器

Screen size: 32”/43”/55”
显示尺寸:32”/43”/55”

Resolution: 3840*2160P
分辨率:3840*2160P

Screen protection glass: special anti-glare glass
屏保玻璃:防眩光特种玻璃

View Angle Range: 178°/178°
视角范围:178°/178°

Response time: ⩽14ms
响应时间:⩽14ms

4K UHD Endoscope Camera
4K 医用内窥镜摄像系统

Output resolution: 3840*2160P, 60FPS
输出分辨率:3840*2160P, 60 FPS

Outstanding performance of image enhancement, gain control, sharpness adjustment, reflection suppression, and GAMMA adjustment, etc.
具有图像增强、增益调节、锐度调节、高亮抑制及GAMA调节等功能

Built-in imaging workstation, supports image freezing, recording, storage and playback functions
内置图像工作站,支持图像冻结、录制、存储及回放功能

With LED light source, illumination ⩾ 700,000Lux
自带LED光源,照度⩾700,000Lux






4K UHD Camera Heads
4K摄像头

Photosensitive chip: 1/1.8-inch 8M progressive scan PIX CMOS sensor
感光芯片:1/1.8英寸 逐行扫描8M PIX CMOS传感器

16-32mm 4K Zoom Adapter
标配4K 变焦16-32mm适配器

With the ability of white balance, zoom in/out, photo and video
摄像头按键可实现白平衡、放大/缩小、拍照与录像等功能



FHD Endoscope Monitor
HD 医用监视器

Screen size: 27”/32”
显示尺寸:27”/32”

Resolution: 1920*1080P
分辨率:1920*1080P

Screen protection glass: special anti-glare glass
屏保玻璃:防眩光特种玻璃

View Angle Range: 178°/178°
视角范围:178°/ 178°

Response time: ⩽14ms
响应时间:⩽14ms

FHD Endoscope Camera
HD 医用内窥镜摄像系统

Output resolution: 1920*1080P, 60FPS
输出分辨率:1920*1080P, 60 FPS

With automatic white balance, automatic backlight compensation function
具有自动白平衡、自动背光补偿功能

Outstanding performance of image enhancement, gain control, sharpness adjustment, reflection suppression, and GAMMA adjustment, etc.
具有图像增强、增益调节、锐度调节、高亮抑制及GAMA调节等功能

Integrated imaging workstation, supports HD image freezing, recording, storage and playback functions
内置图像工作站,支持HD图像冻结、录制、存储及回放功能

With LED light source, illumination ⩾ 700,000Lux
自带LED光源,照度⩾700,000Lux





FHD Camera Heads
HD摄像头

Photosensitive chip: 1/1.8-inch progressive scan Full HD CMOS sensor
感光芯片:1/1.8英寸 逐行扫描 全高清CMOS传感器

16-32mm HD Zoom Adapter
标配HD变焦16-32mm适配器

With the ability of white balance, zoom in/out,photo and video
摄像头按键可实现白平衡、拍照、录像及冻结等功能

Console
低温等离子射频主机



User-friendly LCD touchscreen
大液晶屏彩色界面，触控操作

Allows vaporization, ablation, coagulation and haemostasis of soft tissue at a relatively low temperature to ensure a clear surgical view
集汽化、消融、成形、热收缩、止血等多种功能于一体

Rectangular wave output, rapid resection, max electrode ablation speed 4g/min
自主研发设计，矩形波输出，快速凝血、切割，电极最大消融速度4g/min

Depth of tissue thermal damage <200um
组织热损伤深度<200um

Utilizes controlled plasma-based bipolar RF technology
双极电路设计，电场不与人体接触，手术更安全

With fault self-test function
智能监测硬件故障,有效保障完好工作状态

It has an automatic start-stop function to effectively protect the arthroscopy, and the output power can be adjusted automatically
根据组织阻抗，自动调整输出状态，根据电极相对手术器械/关节镜的距离自动启停，有效保护关节镜镜头



Footswitch
低温等离子射频脚踏

Wireless pedal design, 10 meters long-distance communication
无线脚踏设计，10米长距离通讯，使用更方便

The waterproof rating is IP68
防水等级IP68

Large pedal design to reduce the risk of accidental touch
大踏板设计，减少误触风险

CFDA NO. 20232010085
津械注准20232010085

Console
刨削动力系统主机



Independent Research and Development, Full LCD screen operation
自主研发设计，全液晶屏操作

Automatic identification of shaver and grinding drill bit
自动识别刨削刀头与磨钻头

Features 2 fully functional channels that allow optional simultaneous handpiece operation
双插口动态呈现，即插即用

The device has liquid suction and infusion functions
集成液体抽吸、灌注功能，多档可调，节约采购成本

Stable fluid perfusion management reduces intraoperative bleeding and keeps the operative field clear
稳定的液体灌注管理，减少术中出血，保持术野清晰



Footswitch
刨削动力系统脚踏

Wireless pedal design, 10 meters long-distance communication
可选配无线脚踏设计，10米长距离通讯，使用更方便

The waterproof rating is IP68
防水等级IP68

Large pedal design to reduce the risk of accidental touch
大踏板设计，减少误触风险

Shaver Handpieces
刨削动力系统手柄

Lightweight imported motor, stable and reliable performance
轻量化进口电机，性能稳定可靠

Ergonomic, non-slip and comfortable
人体工程学设计，防滑处理，手感更舒适

Manual button function to meet different surgical habits
手控按键功能，满足不同手术习惯

Positive and negative two-way cutter head interface design to meet different clinical needs
正反双向刀头接口设计，满足临床不同使用需求

Can be used high temperature and high pressure disinfection
可高温高压消毒使用



CFDA NO. 20222040123
津械注准20222040123

Various handle interfaces
多种手柄接口，兼容市场主流刨削系统

Disposable shaver blades that come in a wide range of options for a variety of arthroscopic surgical procedures
多种刀头及磨头开口，充分满足各种切割、打磨需求

Friction-free and heat-free blades, experience uncompromising performance and efficiency
刀头自身无摩擦、不发热、锋利高效

Ultra-small size to meet the specific needs of mini arthoscopy
特超小规格，满足手足外科小关节镜特异性需求

Shaping cutter with coating, low friction coefficient, high hardness, not flaky; Good abrasion resistance, better sharpness.
刨削刀头自带涂层，摩擦系数低、硬度高不掉屑；耐磨性好，锋利度更佳。





Application
适用范围

Soft-tissue and bone resection
骨科手术中对人体骨组织和（或）软组织的刨削处理

Ordering Information
一次性使用刨削刀头订货信息

Product picture 产品图例	Product model 产品型号	Specification 产品规格
	LYBL0107SF	4.0×192mm
	LYBL0401SF	4.0×192mm
	LYBL0401SM	4.0×187mm
	LYBL0401SM	4.0×192mm
	LYBL0401SN	4.0×187mm
	LYBL0402SF	4.0×192mm
	LYBL0402SF	3.0×147mm
	LYBL0402SM	4.0×187mm
	LYBL0402SM	4.0×192mm
	LYBL0201SF	3.0×147mm
	LYBL0201SF	4.0×192mm
	LYBL0201SM	3.0×147mm
	LYBL0201SM	4.0×187mm
	LYBL0201SM	3.0×152mm
	LYBL0201SM	4.0×192mm
	LYBL0201SN	3.0×147mm
	LYBL0201SN	4.0×187mm
	LYBL1213SF	3.0×147mm
	LYBL1213SF	5.5×192mm
	LYBL1213SM	5.5×187mm
	LYBL1213SM	5.5×192mm
	LYBL1213SN	5.5×187mm
	LYBL1217SF	3.0×147mm
	LYBL1217SF	5.5×192mm
	LYBL1217SM	3.0×147mm
	LYBL1217SM	5.5×187mm
	LYBL1217SM	3.0×152mm
	LYBL1217SM	5.5×192mm
	LYBL1217SN	3.0×147mm
	LYBL1217SN	5.5×187mm

Remarks: SF- Smith & Nephew interface; SN- Stryker interface; SM- Linvatec/Arthrex interface;
备注:SF-施乐辉接口;SN-史赛克接口；SM-林弗泰克接口/ARTHREX接口

CFDA NO. 20222010257
津械注准20222010257

Easy-to-use ergonomic hand controls
手柄按键设计，方便临床使用

Unique radio frequency square wave, the temperature is stable at 40-70 °C, less thermal damage, high surgical safety
独特射频方波，温度稳定在40-70°C，热损伤小，手术安全性高

Wide models are available for use in a variety of departments
规格型号齐全，满足临床多科室不同需求

Self-contained suction channel to discharge intraoperative waste fluid in time and reduce the temperature in the joint cavity
自带吸引通道，及时排出术中废液，降低关节腔内温度

Application
适用范围

Cutting, ablation, coagulation and hemostasis of soft tissue in orthopedics or ENT surgery
骨科或耳鼻喉手术中软组织的切割、消融、凝固与止血治疗



Ordering Information
一次性射频等离子手术电极订货信息

	Product picture 产品图例	Product model 产品型号	Specification 产品规格
肩关节		LYRA-A111S	3.8×135×90°
		LYRA-A112S	3.8×135×90°
		LYRA-A112H	3.8×135×90°
		LYRA-A911S	3.8×135×90°
		LYRA-A912H	3.8×135×90°
膝关节		LYRA-A211S	3.8×155×50°
		LYRA-A212S	3.8×135×50°
		LYRA-A212H	3.8×135×50°
		LYRA-A311S	3.8×135×50°
		LYRA-A312H	3.8×135×50°
		LYRA-A502H	3.3×135×30°
小关节		LYRA-A602S	2.8×85×35°
脊柱	颈椎 	LYRA-S201S	0.9×105×0°
		LYRA-S202S	0.9×105×0°
	腰椎 	LYRA-S301S	1.1×220×0°
		LYRA-S302S	1.1×220×0°
	椎间孔镜 	LYRA-S104G	2.3×380×0°
	UBE 	LYRA-S402S	1.5×135×0°
耳鼻喉		LYRA-E103S	1.7×115×20°
		LYRA-E323S	4.5×125×45°
		LYRA-E423S	4.5×125×45°

Remarks: H refers to the electrode with buttons, and S refers to without buttons.
备注：H指电极带按键，S指不带按键


18Pin接口


27Pin接口


8Pin接口

CFDA NO. 20222040250
津械注准20222040250

Silicone Cannula
硅胶套管

Integrated sealing design to reduce fluid leakage during operation
一体化密封设计，减少术中液体渗漏

Soft and flexible silicone cannula, which can protect the soft tissue and cartilage
材质柔软，软组织损伤小

Low incisura design, maximize arthroscopic workspace
低切迹设计，操作空间大



Application
适用范围

Provides a working channel for inserting and pulling out instruments in arthroscopic surgery
关节镜手术中，为插入、拔出器械时提供工作通道



Disposable Arthroscopic Access Cannula
一次性使用关节镜入路套管

Plastic Cannula
螺纹套管

Full threaded design not easily detached
全螺纹设计，使用稳定性更高

Provides precise water outflow control by valve knob
阀门旋钮设计，水压轻松控制

Several types of Cannulas are available
多种直径与长度搭配，满足临床不同需求



02　　01

Product model 产品型号	Specification 产品规格	Description 产品描述
LYAC01	6.5×70mm	Plastic Cannula 螺纹套管
LYAC02	8.5×70mm	
LYAC03	6×30mm	Silicone Cannula 硅胶套管
	8×30mm	
	8×40mm	

No pin design, more reliable
无销钉设计，质量可靠

Imported material, high strength, excellent sharpness
纯进口材质，德国加工工艺，强度高，锋利度优异

Comfortable and convenient
手感舒适，操作便捷



Product picture 产品图例	Specification 产品描述	
	Punch, Straight Shaft	卵圆直篮钳
	Punch, Straight Shaft	鸭嘴直篮钳
	Punch reverse tip,Straight Shaft ,straight tip	反咬篮钳
	Rotary Punch,90° right curved tip	90°右切篮钳
	Rotary Punch,90° left curved tip	90°左切篮钳
	Grasper	异物钳
	Hook Scissor	钩剪
	Suture Grasper	抓线钳

Arthroscopic Hand Instruments
篮钳类手术器械

Ordering Information
篮钳类手术器械订货信息

Description 产品描述	Product model 产品型号	Specification 产品规格	Unit 单位	Number 数量
Punch, Straight Shaft 卵圆篮钳（直）	LYKF0101	4.4×120mm	piece 把	1
	LYKF0201	3.8×125mm		
Punch, Curved Right 卵圆篮钳(右弯)	LYKF0102	4.4×120mm	piece 把	1
Punch, Curved Left 卵圆篮钳(左弯)	LYKF0103	4.4×120mm	piece 把	1
Punch, Up Tip 卵圆篮钳(上翘)	LYKF0104	4.5×120mm	piece 把	1
	LYKF0204	3.8×125mm		
Punch, Straight Shaft 鸭嘴篮钳（直）	LYKF0105	4.5×120mm	piece 把	1
	LYKF0205	3.0×125mm		
Punch, Curved Left 鸭嘴篮钳(左弯)	LYKF0108	3.2×120mm	piece 把	1
	LYKF0208	3.0×125mm		
Punch, Curved Right 鸭嘴篮钳(右弯)	LYKF0110	3.2×120mm	piece 把	1
	LYKF0210	3.0×125mm		
Punch, Up Tip 鸭嘴篮钳(上翘)	LYKF0106	4.5×120mm	piece 把	1
	LYKF0206	3.0×125mm		
Rotary Punch,90° left curved tip 鸭嘴篮钳(90°左切)	LYKF0112	3.4×120mm	piece 把	1
	LYKF0212	2.2×125mm		
Rotary Punch,90° right curved tip 鸭嘴篮钳(90°右切)	LYKF0113	3.4×120mm	piece 把	1
	LYKF0213	2.2×125mm		
Punch reverse tip,Straight Shaft ,Straight tip 反咬篮钳(不分左右)	LYKF0134	3.4×120mm	piece 把	1
Grasper 游离体抓钳	LYKF0125	4.0×120mm	piece 把	1
Organizational grasping forceps 组织抓钳	LYKF0126	4.0×120mm	piece 把	1
Suture Grasper 直角抓线钳	LYKF0130	4.0×120mm	piece 把	1
Probing hook 探针	LYKT2201	120×3.0mm	piece 把	1

备注:手柄型号01-带弯钩;手柄型号02-不带弯钩

CFDA NO. 20232140236
津械注准20232140236



The product is waterproof and airtight design, and the flow rate can be adjusted steplessly to meet the individual needs of various surgeries
产品防水密闭设计
流速可无级变速调控,满足各类手术个性化需求

Disposable Medical Irrigator
一次性使用医用冲洗器

Long battery life,The volume of sound is less than 55db, keeping the operating environment comfortable.
续航时间长，超静音状态，音量低于55db







Medical standardized Luertaper, which simplifies liquid management and improves work efficiency
医用标准化鲁尔无渗接头
简化液体管理方式，提高工作效率

Application
适用范围

Arthroscopy,intervertebral foramenoscopy,percutaneous nephroscopy,ureteroscopy, etc.
关节镜、椎间孔镜、经皮肾镜、输尿管镜等

Product model 产品型号	
LYCX-FED-1	LYCX-FED-2
LYCX-FEL-1	LYCX-FEL-2

PART 2

Sports Medicine Implants

CFDA NO. 20213130553
国械注准20213130553

Material: Titanium alloy
材质：钛合金

Used for soft tissue fixation to bone in shoulder,knee, hip, foot, ankle, hand, wrist and elbow.
使用部位：肩、肘、髋、膝、踝等部位

It features Self-tapping and self-drilling, easy to use.
特点：自攻自钻，使用便捷

A variety of thread design to meet various clinical needs
多种螺纹款式设计，满足临床多样需求

High-strength suture has excellent mechanical properties, ensuring safe and reliable operation
高强缝线力学性能卓越，保证手术安全可靠



Application
适用范围

Suitable for repairing injuries near the insertion point of tendons or ligaments
适用于肌腱或韧带止点附近损伤的修复

Product model 产品型号	Specification 产品规格
TC20D	2.0×6.7mm
TD28S	2.8×9mm
TE35D	3.5×13mm
TE50D	5×15mm
TB45D	4.5×15mm
TB55D	5.5×16mm
TF65D	6.5×20mm

CFDA NO. 20233130743
国械注准20233130743

Tapered tip for easy implantation
锥形尖端，便于植入

Full thread structure design, strong pull-out resistance
全螺纹结构设计，抗拔出力强

Hollow-out design facilitates bone ingrowth and accelerates tendon-bone healing
镂空款型设计，利于骨长入，加速腱骨愈合

Implanted PEEK materials, high biocompatibility, radiological examination without artifacts
植入级聚醚醚酮材料，生物相容性高，拍片无伪影







Application
适用范围

Used for the repair of injuries near the extremity of ligaments or tendons
适用于韧带或肌腱止点附近损伤的修复

Product model 产品型号	Specification 产品规格	Description 产品描述
LYPA-A	4.5×19, D, 2, A	4.5mm conical anchor 4.5mm锥形锚钉
LYPA-A	5.5×19, D, 2, A	5.5mm conical anchor 5.5mm锥形锚钉
LYPA-H	4.5×20, D, 2, C	4.5mm hollow out anchor 4.5mm镂空锚钉
LYPA-H	5.5×20, D, 2, C	5.5mm hollow out anchor 5.5mm镂空锚钉

PEEK Suture Anchor
聚醚醚酮带线锚钉





Classic inverted tooth structure design, easy to operate
经典倒齿结构设计款型，操作简便

After fixation, the suture tension can be adjusted twice to ensure a safer operation
固定后可二次调节缝线张力，保证手术更安全

Implanted PEEK materials, high biocompatibility, radiological examination without artifacts
植入级聚醚醚酮材料，生物相容性高，拍片无伪影



Application
适用范围

Used for double-row knot-free repair of injuries near the extremity of ligaments or tendons
适用于韧带或肌腱止点附近损伤的双排免打结修复

Product model 产品型号	Specification 产品规格	Description 产品描述
LYPA-B	4.5×24, V, /, F	4.5mm Knotless Anchor 4.5mm免打结锚钉
LYPA-L	4.75×19, S, 2, E	4.75mm Knotless Anchor 4.75mm免打结锚钉
LYPA-L	5.5×19, S, 2, E	5.5mm Knotless Anchor 5.5mm免打结锚钉

CFDA NO. 20223131064
国械注准20223131064

Fixed loop
固定袢

UHMWPE continuous braided/wrapped wire loop for superior strength and toughness
超高分子量聚乙烯连续编织/缠绕线环，超高的强度和韧性

15-60mm various wire loop specifications, to meet the suspension and fixation of ligaments under various bone tunnel conditions
15-60mm多种线环规格，满足多种骨道条件下的韧带悬吊固定

Two # 5 ultra-high strength traction wires and flip loop wires are preset to make the operation more simple and convenient.
预置两根#5超高强度牵引线和翻袢线，手术操作更加简单便捷



Application
适用范围

For the femoral fixation of the anterior and posterior cruciate ligaments
用于膝关节前、后交叉韧带或肌腱与骨的固定

Product model 产品型号	Specification 产品规格	Description 产品描述
TR011	A15-01	15mm Fixed loop 15mm固定袢
	A20-01	20mm Fixed loop 20mm固定袢
	A25-01	25mm Fixed loop 25mm固定袢
	A30-01	30mm Fixed loop 30mm固定袢
	A35-01	35mm Fixed loop 35mm固定袢

Suture Button
带袢钛板

Adjustable loop
可调袢

The graft completely fills the bone tunnel, improving tendon-bone healing rate and healing strength
极限收紧，移植物完全填充骨隧道，提高腱骨愈合率和愈合强度

Unique graft protection device,which can avoid the wire loop cutting graft effectively during tightening
独特的移植物保护装置有效避免线环收紧过程中的移植物切割效应

One #5 ultra-high-strength leading suture
预置一根#5超高强度牵引线



Product model 产品型号	Specification 产品规格	Description 产品描述
TR022	A16-04	Adjustable loop (2 holes), blue and white leading suture 可调袢（2孔），蓝白牵引线
TR042	B16-04	Adjustable loop (8 holes), blue and white leading suture 可调袢（8孔），蓝白牵引线

TITANIUM PLATE

Suture Button
带袢钛板



Fixed coil with loop titanium plate

Model and specification of fixed coil loop:

Titanium plate(Length*width*thickness):12mm*4mm*1.5mm

Fixed coil:15-60mm
One specification for every 5mm,Length refers to the length of the coil after straightening



Endobutton

Coracoclavicular titanium plate

Adjustable coil with loop titanium plate Model and specification:

Titanium plate(Length*width*thickness):
12mm*3.8mm*1.5mm

Titanium plate(Length*width*thickness):
15mm*4.5mm*1.5mm

Titanium plate(Length*width*thickness):
20mm*5.5mm*1.65mm



Titanium alloy material with high strength and low elastic modulus

High strength traction suture aviods the risk of breakage during operation

UHMWPE coil good handle, high tensile strength

It is applicable to the fixation of ligament, tendon or bone in orthopedic reconstruction

The coil can be adjusted to meet different bone tunnel lengths

4-strand coil+wire knot locking mechanism, providing high-strength fixation to reduce loop displacement extension

The design of wireless tightening loop allows the graft to completely fill the bone marrow canal and improve the bone healing tendon strength

More convenient one handed operation experience

CFDA NO. 20223131734
国械注准20223131734

Polyetheretherketone (PEEK) material, excellent biocompatibility,high fixing strength, safe and reliable
聚醚醚酮（PEEK）材质，生物相容性优异，不显影，固定强度高，安全可靠

The guide thread design at the tail of the sheath makes the screw implantation convenient and the fixation more firm
钉鞘尾部导向螺纹设计，螺钉植入方便，固定更牢固

The interface screw is fixed with a sheath, which can avoid the cutting damage of the graft by the screw and obtain 360-degree all-round tendon-bone healing
界面螺钉配套钉鞘固定，可避免螺钉对移植物的切割损伤，获得360度全方位腱骨愈合



Application
适用范围

It is suitable for extrusion fixation during ligament reconstruction, generally used for tibial fixation of grafts during anterior / posterior cruciate ligament reconstruction
适用于韧带重建时的挤压固定手术方式，一般用于前/后交叉韧带重建时移植物的胫骨侧固定



PEEK Staple-sheath Fixation System
聚醚醚酮钉鞘固定系统

Ordering Information
聚醚醚酮钉鞘固定系统订货信息

Product model 产品型号	Specification 产品规格	Specification 产品描述	
LYPS-IS-I	6×25	PEEK Interface screw	界面螺钉
LYPS-IS-I	7×25	Compatible with small PEEK Sheath and Screw	可匹配小号钉鞘使用
LYPS-IS-I	8×25		
LYPS-IS-I	9×25	Compatible with large PEEK Sheath and Screw	可匹配大号钉鞘使用
LYPS-IS-I	10×25		
LYPS-HS-II	E×27	Small PEEK Sheath and Screw	小号钉鞘
LYPS-HS-II	F×27	Large PEEK Sheath and Screw	大号钉鞘
LYPS-IS-I	7×30	Interface Screw	界面螺钉
LYPS-IS-I	8×30	Interface Screw	界面螺钉
LYPS-IS-I	9×30	Interface Screw	界面螺钉
LYPS-SS-II	7×25,E×27	Integrated packaging	钉+鞘一体包装
LYPS-SS-II	8×25,E×27	Integrated packaging	钉+鞘一体包装
LYPS-SS-II	9×25,F×27	Integrated packaging	钉+鞘一体包装

Meniscus Suture System
半月板缝合系统

CFDA NO. 20233130081
国械注准20233130081

Needle tip laser cutting, good puncture performance
针尖激光切割，穿刺性能佳

Multi-angle tip design, flexible choice of puncture angle
多角度尖端设计，穿刺角度灵活选择

Flexible adjustment of depth limit length to ensure safe operation
灵活调节限深长度，保证手术安全放心

The ergonomic handle and 360° active excitation design, easy for single handed implantion
360度单手主动激发，手术使用简单方便

Ultra-micro injection molding process to reduce the damage of implanted anchor blocks to the meniscus
超微注塑工艺，减少植入锚块对半月板的损伤

Ergonomic handle design, non-slip, better touch
人体工程学手柄设计，防滑，触感更佳

Application
适用范围

Suitable for repairing and suturing meniscus injuries.
适用于半月板损伤的修复缝合

Product model 产品型号	Specification 产品描述
LYMF-ID	Straight 直型
LYMF-IID	Up curved 上弯型



U-shaped Nail
U型钉

CFDA NO. 20223131436
国械注准20223131436

Spike foot inverted teeth design, easy to implant, high fixation strength
钉脚倒齿设计，易于植入，固定强度高

Widen the fixed surface to disperse the contact stress
增宽固定面，分散接触应力

Medical titanium alloy material, non-toxic and non-magnetic, high strength, good toughness
医用钛合金材质，无毒无磁性，强度高，韧性好



Application
适用范围

It is suitable for the fixation of bones and soft tissues in the knee joint and other parts, and is generally used for double fixation of the tibial side in the reconstruction of the anterior and posterior cruciate ligaments.
适用于膝关节等部位骨与软组织的固定，一般用于前、后交叉韧带重建术中胫骨侧的双重固定

Product model 产品型号	Specification 产品规格
UAA-M	6×20mm

U Type nail



- Anti sawtooth design, improve the holding power
- Titanium alloy material, lower elastic modulus, reduce stress shielding effect
- Titanium alloy material, good biocompatibility and stability
- Ethylence oxide sterilization,disposable
- 6*20-25*20 to meet the needs of different fracture sites



Barb net corner nail
PML:JYDW0620 -JYDW2520
Common models:JYDW0620/JYDW0820



Barb nail
PML: JYDG0615-JYDG2520
Common models:JYDG0810/JYDG1012/JYDG1515/

Ti-alloy

Anti-slip sawtooth

Head sharpening


U type nail

CFDA NO. 20222020184
津械注准20222020184

Suture
缝线


Ultra-high molecular weight polyethylene weaving technology, small tissue reflection, high biocompatibility
超高分子量聚乙烯编织技术，组织反映小，生物相容性高

Core weaving process, soft hand feeling, smaller knots and stronger performance;
核心编织工艺，手感柔软，线结更小，性能更强



Application
适用范围

Suitable for suturing of soft tissues such as tendons, ligaments, and joint capsules
适用于各类肌腱、韧带、关节囊等软组织的缝合手术



Line ribbon
线带

Multiple specifications of round and flat wires and flat wires are available for selection
多规格圆扁线、扁线可供选择

large repair contact area, small tissue cutting, high fixation strength, and meet the needs of various clinical operations
修复接触面积大，组织切割小，固定强度高，满足临床多种手术需求


Non-absorbable Surgical Sutures
非吸收性外科缝线

Double-Armed Meniscus Repair Needle
半月板双针


Inside-out technique has been considered as the "Golden standard" for arthroscopic meniscus repair
半月板缝合的“金标准”　缝合方式：由内向外缝合

2-0 UHMWPE suture, high suture strength, low profile thread knot
2-0超高分子量聚乙烯缝线，缝合强度高，低切迹

0.7mm double-needle, the tail end is perfectly crimped with the suture, protec the meniscus well
0.7mm双针，尾端与缝线完美压接，半月板损伤更小



Product model 产品型号	Specification 产品规格	SPECIFICATION 产品描述
LYUWL-S	2-0, C, 700, 02, 7×16	#2-0 Suture　#2-0带针缝线
	2, C, 700, 02, 11×20	#2 Suture　#2带针缝线
	5, C, 700, 02, 12×24	#5 Suture　#5带针缝线
LYUWF-N	2.0, C, 700, 00	Suture Tape　线带
LYUWL-D	2-0, C, 700, 01, 7×260	Double-Armed Meniscus Repair Needle　半月板双针



Well Trust

SPORT MEDICINE

PART 3

Sports Medicine Instrument

+86 13352097710

Nankai District, Tianjin, China

www.well-orthopedic.com

www.wtt-arthroscopy.com



膝关节手术器械

HP2271.13 PCL刮勺
Curette 6X130mm



HP2272.16 环形刮匙
Curette 6X160mm



HP2251 螺丝刀（锥形）
Screwdriver
4.6X155mm



HP2250 螺丝刀（十字）
Screwdriver
4.6X155mm



HP2270 PCL剥离子
Stripper
9.3X118mm



HP2275.16 推结器
Knot pusher
3X160mm

HP2245.0 交换棒 空心
Changing Rod
4.3X330mm



HP2245.1 交换棒 实心
Changing Rod
4.3X330mm



HP2245.U 交换棒 U形
Changing Rod
4.3X330mm



HP2247.12 导针
Guide Pin
1.2X400mm

HP2247.24 导针
Guide Pin
2.4X383mm

HP2247.27 导针
Guide Pin
2.7X383mm



HP2293 骨锤
Hammer
25X195mm

HP2283.19 测量板 长
Measuring Board
195mm

HP2283.13 测量板 短
Measuring Board
133mm





HP2273.25 纠偏器
2-5 Corrector
16X82mm

HP2273.36 纠偏器
3-6 Corrector
22X57mm

HP2284.05 量筒
measuring
5X50mm

HP2284.06 量筒
measuring
6X50mm

HP2284.07 量筒
measuring
7X50mm



HP2284.08 量筒
measuring
8X50mm

HP2284.09 量筒
measuring
9X50mm

HP2284.10 量筒
measuring
10X50mm

HP2284.11 量筒
measuring
11X50mm

HP2284.12 量筒
measuring
12X50mm



HP2202.16 咬骨钳（蓝钳）方口直型
Punch Forceps (Square Straight)
5X160mm



HP2203.18 咬骨钳（蓝钳） 右反切
Punch Forceps (Right Backbiter)
5.5X185mm



HP2204.18 咬骨钳（蓝钳） 左反切
Punch Forceps (Left Backbiter)
5.5X185mm



HP2209.16 咬骨钳（蓝钳） 右切90°
Punch Forceps (Right cut 90°)
7.6X160mm



HP2210.16 咬骨钳（蓝钳） 左切90°
Punch Forceps (Left cut 90°)
7.6X160mm



HP2211.16 咬骨钳（蓝钳） 左弯45°
Punch Forceps (Left Curved 45°)
5X160mm



HP2212.16 咬骨钳（蓝钳） 右弯45°
Punch Forceps (Right Curved 45°)
5X160mm



HP2219.16 组织钳 倒齿
Tissue Forceps (Pawl)
4.4X160mm



HP2220.16 组织钳 麦粒头
Tissue Forceps (Triticeous head)
3.5X160mm



HP2221.16 抓线钳 带齿
Suture Grasper(With Tooth)
2.0X160mm




HP2223.16 断线钳 闭口
Suture Cutter (Close)
4.2X160mm



HP2224.16断线钳 开口
Suture Cutter (Open)
4.2X160mm




HP2225.16 断线钳 滑入
Suture Cutter (Slip)
4.0X160mm




HP2230.16 抓线钳 圆口
Suture Grasper(Round)
3.4X160mm



HP2231.16 抓线钳 方口
Suture Grasper(Square)
3.4X160mm





髋关节手术器械



HP2275.18 推结器
Knot pusher
3X185mm

HP2245.0 交换棒 空心
Changing Rod
4.3X330mm



HP2245.1 交换棒 实心
Changing Rod
4.3X330mm



HP2245.U 交换棒 U形
Changing Rod
4.3X330mm



HP2268 骨刀（香蕉刀）
Banana knife
4X200mm



HP2269.14 滑槽 大
Big Chute
140mm



HP2269.12 滑槽 小
Small chute
120mm



HP2242 开口刮匙
Curette
5.7X185mm



HP2262.Z 勾线器（Z形）
Wire cutters
3.2X185mm



HP2263.18 探钩
Probe Hook
4.8X185mm



HP2265.30 剥离器 下弯30°
Elevator
4.3X200mm



HP2267.20 骨锉
Raspatory 下弯20°
6X200mm



HP2272.18 环形刮匙
Curette
6X185mm







HP2201.18 咬骨钳（蓝钳）圆口直型
Punch Forceps（round Straight）
5.7X185mm



HP2203.18 咬骨钳（蓝钳） 右反切
Punch Forceps (Right Backbiter)
5.5X185mm



HP2204.18 咬骨钳（蓝钳）左反切
Punch Forceps (Left Backbiter)
5.5X185mm



HP2209.18 咬骨钳（蓝钳） 右切90°
Punch Forceps (Right cut 90°)
7.6X185mm



HP2210.18 咬骨钳（蓝钳） 左切90°
Punch Forceps (Left cut 90°)
7.6X185mm



HP2211.18 咬骨钳（蓝钳） 左弯45°
Punch Forceps (Left Curved 45°)
5X185mm




HP2212.18 咬骨钳（蓝钳） 右弯45°
Punch Forceps (Right Curved 45°)
5X185mm



HP2218.18 组织钳 细齿
Tissue Forceps（Serration）
3X185mm



HP2220.18 组织钳 麦粒头
Tissue Forceps(Triticeous head)
3.5X185mm



HP2221.18 抓线钳 带齿
Suture Grasper(With Tooth)
2.0X185mm




HP2223.18 断线钳 闭口
Suture Cutter (Close)
4.2X185mm



HP2224.18 断线钳 开口
Suture Cutter (Open)
4.2X185mm



HP2225.18 断线钳 滑入
Suture Cutter (Slip)
4.0X185mm




HP2227.18 抓线钳（鸟嘴钳）直型
Suture Grasper(Straight)
2.8X185mm



HP2228.18 抓线钳（鸟嘴钳）左弯
Suture Grasper(Left)
2.8X185mm



HP2229.18 抓线钳（鸟嘴钳）右弯
Suture Grasper(Ritht)
2.8X185mm



HP2230.18 抓线钳 圆口
Suture Grasper(Round)
3.4X185mm




HP2231.18 抓线钳 方口
Suture Grasper(Square)
3.4X185mm



HP2234.18 抓线钳 钩状
Suture Grasper(Hooked)
2.5X185mm





肩关节手术器械



HP2235.1 过线钳(芯）肩袖
Rotator cuff Suture Passer Needle
1.5X239mm





HP2235 过线钳 肩袖
Rotator cuff Suture Passer
4.8X170mm

HP2236.1 过线钳（芯）盂唇
Labral Suture Passer Needle
4.8X140mm







HP2236 过线钳 盂唇
Labral Suture Passer
4.8X140mm

HP2245.0 交换棒 空心
Changing Rod
4.3X330mm

HP2245.1 交换棒 实心
Changing Rod
4.3X330mm

HP2247.12 导针
Guide Pin
1.2X400mm

HP2275.16 推结器
Knot pusher
3X160mm



HP2263.11
探钩Probe Hook
3X110mm




HP2263.20
探钩Probe Hook
3X205mm



HP2262.C 勾线器（C形）
Wire cutters
4X180mm






HP2202.16 咬骨钳（蓝钳） 方口直型
Punch Forceps (Square Straight)
5X160mm



HP2219.16 组织钳 倒齿
Tissue Forceps（Pawl)
4.4X160mm



HP2220.16 组织钳 麦粒头
Tissue Forceps（Triticeous head)
3.5X160mm



HP2221.16 抓线钳 带齿
Suture Grasper(With Tooth)
2.0X160mm



HP2222.16 抓线钳 肩袖
Suture Grasper (Rotator cuff)
4.0X160mm



HP2223.16 断线钳 闭口
Suture Cutter (Close)
4.2X160mm




HP2224.16 断线钳 开口
Suture Cutter (Open)
4.2X160mm





HP2225.16 断线钳 滑入
Suture Cutter (Slip)
4.0X160mm



HP2227.16 抓线钳（鸟嘴钳） 直型
Suture Grasper(Straight)
2.8X1680mm



HP2228.16 抓线钳（鸟嘴钳） 左弯
Suture Grasper(Left)
2.8X160mm



HP2229.16 抓线钳（鸟嘴钳） 右弯
Suture Grasper(Ritht)
2.8X160mm



HP2230.16 抓线钳 圆口
Suture Grasper(Round)
3.4X160mm



HP2231.16 抓线钳 方口
Suture Grasper(Square)
3.4X160mm

HP2265.15 剥离器 下弯15°
Elevator
4.3X160mm



HP2265.16 剥离器 上弯15°
Elevator
4.3X160mm



HP2293 骨锤
Hammer
25X195mm



HP2264.30 微骨折器 30°
Microfracture chisel
5X85mm



HP2264.45 微骨折器 45°
Microfracture chisel
5X85mm



HP2264.60 微骨折器 60°
Microfracture chisel
5X85mm



HP2264.90 微骨折器 90°
Microfracture chisel
5X85mm



Shoulder Joint Surgical Instrument
肩关节手术器械



HP2266.00 骨锉 双面
Raspatory
6X168mm



HP2266.20 骨锉
Raspatory 下弯20°
6X168mm



HP2266.21 骨锉
Raspatory 上弯20°
6X168mm



HP2266.45 骨锉
Raspatory 下弯45°
6X161mm



HP2266.46 骨锉
Raspatory 上弯45°
6X161mm

肩关节手术器械包

Shoulder joints surgery instrument set



	Code	Name	Description	Specs	Qty.
1	A605005	Bone needle	Exchange rod	Φ 4*310mm	1
2	601001-09	Threader for orthopedic	Suture hook (left)	45°	1
3	601001-10	Threader for orthopedic	Suture hook (right)	45°	1
4	601001-11	Threader for orthopedic	Suture hook (straight)	/	1
5	601006	Bone needle	Guide wire	Φ 1.2	3
6	D603005	Chisel	Bone shovel	230*4mm	1
7	A605004	Chisel	Bone shovel	25°*4*8mm	1
8	D603004	Periosteal stripper	Detacher (round tip)	6mm	1
9	D603007	Bone file	File detacher	12*5.5mm	1
10	A602023-1	Bone curette	Hollow cartilage curette (round)	3.5mm	1
11	A602015-2	Bone probe	Probe	Φ 1.4*3.4mm	1
12	601005	Threader for orthopedic	Wire hook	255mm	1
13	601002	Threader for orthopedic	Knot guide I	Φ 1.3	1
14	D603010	Bone hammer	Hammer (metal handle)	100g	1
15	A605008	Forceps	Suture cutter	140mm	1
16	A605019	Forceps	Suture grasper	5	1
17	A605017	Forceps	Grasper (soft tissue grasper)	140*4.5mm	1
18	A605015	Forceps	Suture Grasper	4	1
19	WG211059	Should joint surgery instrument box		/	1

骨科用穿线器

Threader for orthopedic




订货代码 Code No.	型号 Description	长度 Length	规格 Size
601002	推结器I型 knot guide I	210mm	Φ1.3




订货代码 Code No.	型号 Description	长度 Length	规格 Size
601002-1	推结器II型 knot guide II	165mm	Φ0.9



订货代码 Code No.	型号 Description	长度 Length	规格 Size
601002-2	推结器III型 knot guide III	210mm	Φ2.0




订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A602015-4	骨探针 Bone probe	探钩 probe	260mm	Φ1.2*4.2mm
A602015-3	骨探针 Bone probe	探钩 probe	260mm	Φ1.4*5.4mm
A602015-2	骨探针 Bone probe	探钩 probe	260mm	Φ1.4*3.4mm
A602015	骨探针 Bone probe	探钩 probe	220mm	Φ1.4*4.2mm



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
D603005	骨凿 Chisel	骨铲 bone shovel	260mm	4mm




订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A605004	骨凿 Chisel	骨铲 bone shovel	250mm	25°*4*8mm



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A605003-1	导钻 drill guide	导向器 guider	200mm	Φ6
A605003-2	导钻 drill guide	导向器 guider	200mm	Φ8


Shoulder Joint Surgical Instrument
肩关节手术器械




订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
D603004	骨膜剥离器 periosteal stripper	圆头剥离器 detacher(round tip)	275mm	6mm




订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
D603007	骨锉 bone file	锉剥离器 file detacher	275mm	12*5.5mm




订货代码 Code No.	名称 Name	型号 Description	长度 Length
601005	骨科用穿线器 threader for orthopedic	钩线器 wire hook	255mm




订货代码 Code No.	名称 Name	型号 Description	长度 L ength
D603003	削切刀 Cutting knife	钩刀 bush hook	275mm



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A602023-1	骨刮匙 bone curette	软骨空心（圆头） hollow cartilage curette (round)	260mm	3.5mm
A602023-5	骨刮匙 bone curette	软骨空心（圆头） hollow cartilage curette (round)	260mm	4.5mm
A602023-2	骨刮匙 bone curette	软骨空心（圆头） hollow cartilage curette (round)	260mm	5.5mm




订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A602023-3	骨刮匙 bone curette	软骨空心（扁头） hollow cartilage curette (flat)	260mm	3.5mm
A602023-6	骨刮匙 bone curette	软骨空心（扁头） hollow cartilage curette (flat)	260mm	4.5mm
A602023-4	骨刮匙 bone curette	软骨空心（扁头） hollow cartilage curette (flat)	260mm	5.5mm



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A605005	骨定位针 Bone needle	交换棒 exchange rod	310mm	Φ4
D603009	骨定位针 Bone needle	交换棒 exchange rod	305mm	Φ5

肩锁关节脱位重建瞄准工具

AC Joint Reconstruction Set







订货代码 Code No.	名称 Name	型号 Description	规格 Size
A605011-1	骨科钻孔 瞄准器 orthopedic drill sight	肩锁关节瞄准器手 AC Joint Reconstruction Handle	柄型




订货代码 Code No.	名称 Name	型号 Description	规格 Size
A605011-4	导钻 drill guide	肩锁关节瞄准器I型 guider I	右 right




订货代码 Code No.	名称 Name	型号 Description	规格 Size
605011-3	导钻 drill guide	肩锁关节瞄准器I型 guider I	左 left




订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A605011-5	导钻 drill guide	肩锁关节瞄准器I guider I	型90mm	直 straight




订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A605011-2	导钻 drill guide	肩锁关节瞄准器I型 guider I	170mm	Φ3.2
A605011-11	导钻 drill guide	肩锁关节瞄准器I型 guider I	70mm	Φ4.0



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
605011-12	导钻 drill guide	肩锁关节瞄准器I II型 guider III	170mm	Φ3.2
605011-13	导钻 drill guide	肩锁关节瞄准器I II型 guider III	170mm	Φ4.0



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
605011-8	骨牵引针 kirschner wire	肩锁关节导针 AC Joint guide needle	280mm	Φ1.1
605011-10	骨牵引针 kirschner wire	肩锁关节导针 AC Joint guide needle	280mm	Φ2.0



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A605011-6	骨科钻头 drill bit	肩锁关节空心钻头I型 AC Joint cannulated drill bit I	270mm	Φ2.4
A605011-7	骨科钻头 drill bit	肩锁关节空心钻头I型 AC Joint cannulated drill bit I	270mm	Φ3.0
A605011-9	骨科钻头 drill bit	肩锁关节空心钻头I型 AC Joint cannulated drill bit I	270mm	Φ4.0

Acromioclavicular
Dislocation Instrument Set
肩锁脱位器械包

肩锁关节脱位重建瞄准工具

AC Joint Reconstruction Set






订货代码 Code No.	名称 Name	型号 Description	规格 Size
605014-1	骨科钻孔瞄准器 Orthopedic drill sight	肩锁关节瞄准器手柄 Aiming tool handle II	II型



订货代码 Code No.	名称 Name	型号 Description	规格 Size
605011-14	导钻 drill guide	肩锁关节瞄准器III型 Aiming tool guider III	左 left



订货代码 Code No.	名称 Name	型号 Description	规格 Size
605011-15	导钻 drill guide	肩锁关节瞄准器III型 Aiming tool guider III	右 right



踝关节手术器械



HP2243 闭口刮勺 直
Spatula(Straight)
1.9x115mm



HP2244 闭口刮勺 弯
Spatula(Curved)
1.9x115mm



HP2263.11 探钩
Probe Hook
3X110mm



HP2275.16 推结器
Knot pusher
3X160mm



HP2293 骨锤
Hammer
25X195mm



HP2285.15 环形刮匙 15°
Spatula
2.4X112mm



HP2285.30 环形刮匙 30°
Spatula
2.4X112mm



HP2290.30 微骨折器 30°
Microfracture chisel
5X86mm



HP2290.45 微骨折器 45°
Microfracture chisel
5X85mm



HP2290.60 微骨折器 60°
Microfracture chisel
5X83mm




HP2290.90 微骨折器 90°
Microfracture chisel
5X80mm





HP2218.09 组织钳 细齿
Tissue Forceps (Serration)
3X90mm



HP2221.09 抓线钳 带齿
Suture Grasper(With Tooth)
2.0X90mm



HP2223.09 断线钳 闭口
Suture Cutter (Close)
4.2X90mm




HP2224.09 断线钳 开口
Suture Cutter (Open)
4.2X90mm





HP2225.09 断线钳 滑入
Suture Cutter (Slip)
4.0X90mm



HP2230.09 抓线钳 圆口
Suture Grasper(Round)
3.4X90mm



HP2231.09 抓线钳 方口
Suture Grasper(Square)
3.4X90mm




HP2237 咬骨钳（小蓝钳） 直型
Punch Forceps (Straight)
2.4x100mm




HP2238 咬骨钳（小蓝钳） 左弯45°
Punch Forceps (Left Curved 45°)
2.4x100mm



HP2239 咬骨钳（小蓝钳） 右弯45°
Punch Forceps (Right Curved 45°)
2.4x100mm





椎间孔镜手术器械包



HP2303.28 鞘管手柄





HP2303.26 鞘管 50° ϕ3.5X320mm



HP2303.27 鞘管 90° ϕ3.5X320mm



手柄

HP2303.21 活检钳（带角度勺型）
2.8X320mm



HP2303.19 抓钳(勺型)
2.8X320mm



HP2303.20 打孔钳
2.8X320mm




HP2303.22 活检钳(半柔性)
2.8X320mm



HP2303.23 活检钳(锯齿型)
3.5X320mm



HP2303.24 活检钳(勺型)
3.5X320mm



HP2303.25 活检钳(尖圆形)
3.5X320mm



HP2303.03 钢直尺 200mm



HP2303.14 骨锤 ϕ22X200mm



HP2303.01 定位针 1.5X200mm

HP2303.02 定位丝 0.8×400mm




HP2303.15 窥镜探棒(可弯曲) ϕ2X ϕ3X320mm



HP2303.16 剥离器 ϕ3X320mm



HP2303.29 冲孔适配器
22X76mm



HP2303.18 夹持钳
4.0X200mm

Foraminoscopic Surgical Instrument
椎间孔镜手术器械



HP2303.04 圆锥型导杆 外径ϕ4内径ϕ1.5长度240mm



HP2303.05 圆锥形导杆 外径ϕ7.3内径ϕ6.5长度175mm



HP2303.06 圆锥形导杆 外径ϕ7.8内径ϕ4.2长度200mm



HP2303.07 圆锥形导杆 外径ϕ9.6内径ϕ8长度165mm



HP2303.08 扩张导杆 外径ϕ7.8内槽ϕ4.2长度200mm



HP2303.09 工作套管(斜面) 外径ϕ7.8内径ϕ6.5长度171mm



HP2303.10 工作套管(斜面) 外径ϕ8.5内径ϕ7.5长度171mm



HP2303.11 工作套管(斜面半齿) 外径ϕ9.3内径ϕ8长度160mm




HP2303.13 窥镜取出器 ϕ6X280mm



HP2303.12 扩孔器(细齿) 外径ϕ7.8内径ϕ6.5长度177mm

全内交叉韧带定位系统

All-in cruciate ligament localization system



全内PCL胫骨定位器+定位器+钻套

PCL tibial positioning hook



全内PCL股骨定位器+定位器+钻套

PCL femoral positioning hook



全内ACL股骨定位器+定位器+钻套

ACL femoral positioning hook



全内ACL胫骨定位器+定位器+钻套

ACL tibial positioning hook



骨科钻孔瞄准器

orthopedic drill sight



订货代码 Code No.	型号 Description	长度 Length
602027-1	全内PCL胫骨定位器 I型 All-in PCL tibia localizer I	125mm



订货代码 Code No.	型号 Description	长度 Length
602027-2	全内PCL股骨定位器 I型 All-in PCL femoral localizer I	125mm



订货代码 Code No.	型号 Description	长度 Length
602027-3	全内ACL股骨定位器 I型 All-in ACL femoral localizer I	125mm



订货代码 Code No.	型号 Description	长度 Length
602027-4	全内ACL胫骨定位器 I型 All-in ACL tibia localizer I	125mm



订货代码 Code No.	型号 Description
602027	全内交叉韧带定位器 I型 All-in cruciate ligament localizer I



订货代码 Code No.	型号 Description	长度 Length	直径 Diameter
602027-5	全内定位钻套 All-in drill sleeve	135mm	Φ3.5



订货代码 Code No.	型号 Description	长度 Length	直径 Diameter
602027-6	全内定位钻套 All-in drill sleeve	140mm	Φ2.5



订货代码 Code No.	型号 Description	长度 Length	直径 Diameter
602027-8	全内定位钻套 All-in drill sleeve	135mm	Φ4.0




订货代码 Code No.	型号 Description	长度 Length	直径 Diameter
602027-9	全内定位钻套 All-in drill sleeve	140mm	Φ2.5



订货代码 Code No.	产品名称 Name	型号 Description
211063	全内交叉韧带重建器械包 All-in cruciate ligament reconstruction instrument set	CJ-02

骨科钻头
drill bit

倒打钻I型
drill I



订货代码 Code No.	工作长度 Working L	直径 Diameter
602026-1	270mm	7mm
602026-2	270mm	8mm
602026-3	270mm	9mm
602026-10	270mm	10mm

倒打钻II型
drill II




订货代码 Code No.	工作长度 Working L	直径 Diameter
602026-4	220mm	7mm
602026-5	220mm	8mm
602026-6	220mm	9mm
602026-11	220mm	10mm

倒打钻III型
drill III




订货代码 Code No.	工作长度 Working L	直径 Diameter
602026-7	270mm	7mm
602026-8	270mm	8mm
602026-9	270mm	9mm
602026-12	270mm	10mm

交叉韧带定位系统
Cruciate ligament localization system



前叉点对点定位器 +定位器+钻套
Front fork point-to-point locator



前叉点对肘定位器+定位器+钻套
Front fork point to elbow locator



后叉股骨定位器 +定位器+钻套
Posterior fork femoral positioning hook



后叉胫骨定位器 +定位器+钻套
Posterior fork tibial alignment hook



骨科钻孔瞄准器
Orthopedic drill sight



订货代码 Code No.	型号 Description	长度 Length
A602001-1	前叉点对点定位器 I型 ACL point to point I	125mm



订货代码 Code No.	型号 Description	长度 Length
A602001-2	前叉点对肘定位器 I型 ACL point to elbow I	125mm



订货代码 Code No.	型号 Description	长度 Length
A602001-3	后叉股骨定位器 I型 PCL femoral localizer I	125mm



订货代码 Code No.	型号 Description	长度 Length
A602001-4	后叉胫骨定位器 I型 PCL tibia localizer I	125mm




货代码 ode No.	型号 Description	长度 Length
A602001	交叉韧带定位器 I型 Cruciate ligament localizer I	110mm




货代码 Code No.	型号 Description	长度 Length
A602001-6	定位钻套Φ2.0（选配） drill sleeve Φ2.0(optionals)	
A602001-7	定位钻套Φ2.5（选配） drill sleeve Φ2.5 (optional)	







骨牵引针
kirschner wire



订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602011-3	穿线导针 I型 kirschner wire I	400mm	Φ2.0mm
A602011-4	穿线导针 I型 kirschner wire I	400mm	Φ2.4mm
A602011-2	穿线导针 I型 kirschner wire I	400mm	Φ2.5mm



订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602011-6	穿线导针 II型 kirschner wire II	400mm	Φ2.0mm
A602011-7	穿线导针 II型 kirschner wire II	400mm	Φ2.4mm
A602011-5	穿线导针 II型 kirschner wire II	400mm	Φ2.5mm




订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602011-1	平铲 Flat shovel	400mm	Φ4.0mm
A602011-8	平铲 Flat shovel	400mm	Φ4.5mm


订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602018	导针 guide needle	385mm	Φ1.2mm

骨科钻头
Drill bit



胫骨空心钻头
Tibia cannulated drill bit





订货代码 Code No.	长度 Length	规格 Size
A602004-1	180mm	4.0mm
A602004-2	180mm	4.5mm
A602004-3	180mm	5.0mm
A602004-4	180mm	5.5mm
A602004-5	180mm	6.0mm
A602004-6	180mm	6.5mm
A602004-7	180mm	7.0mm
A602004-8	180mm	7.5mm
A602004-9	180mm	8.0mm
A602004-10	180mm	8.5mm
A602004-11	180mm	9.0mm
A602004-12	180mm	9.5mm
A602004-13	180mm	10.0mm
A602004-14	180mm	11.0mm
A602004-15	180mm	12.0mm




股骨空心钻头
Femoral cannulated drill bit






订货代码 Code No.	长度 Length	规格 Size
A602005-11	180mm	4.0mm
A602005-12	180mm	4.5mm
A602005-1	180mm	5.0mm
A602005-7	180mm	5.5mm
A602005-2	180mm	6.0mm
A602005-8	180mm	6.5mm
A602005-3	180mm	7.0mm
A602005-13	180mm	7.5mm
A602005-4	180mm	8.0mm
A602005-14	180mm	8.5mm
A602005-5	180mm	9.0mm
A602005-15	180mm	9.5mm
A602005-6	180mm	10.0mm
A602005-16	180mm	10.5mm
A602005-9	180mm	11.0mm
A602005-17	180mm	11.5mm
A602005-10	180mm	12.0mm

骨测量器
Bone Measuring Tool




订货代码 Code No.	型号 Description	规格 Size
A602009	韧带工作台 Ligament table	480mm
A602008	软组织夹 Soft tissue clip	70mm



订货代码 Code No.	型号 Description	规格 Size
602025	肌腱刮板 Muscle tendon scraper	I型





订货代码 Code No.	型号 Description	规格 Size
A602002	韧带开口测量器 Ligamnet (tendon)measurer (open)	φ4.0-φ12

订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602014-1	韧带闭口测量器 Ligament (tendon)measurer (close)	50mm	φ5
A602014-2	韧带闭口测量器 Ligament (tendon)measurer (close)	50mm	φ6
A602014-3	韧带闭口测量器 Ligament (tendon)measurer (close)	50mm	φ7
A602014-4	韧带闭口测量器 Ligament (tendon)measurer (close)	50mm	φ8
A602014-5	韧带闭口测量器 Ligament (tendon)measurer (close)	50mm	φ9
A602014-6	韧带闭口测量器 Ligament (tendon)measurer (close)	50mm	φ10





订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602006	韧带测深器 Ligament depth gauge	350mm	I型

削切刀
Cutting knife





订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602021-1	开口取腱器（锐口） Open tendon removal (sharp)	410mm	6mm
A602021-2	开口取腱器（锐口） Open tendon removal (sharp)	410mm	7mm
A602021-3	开口取腱器（锐口） Open tendon removal (sharp)	410mm	8mm
A602021-4	开口取腱器（锐口） Open tendon removal (sharp)	410mm	9mm
A602021-5	开口取腱器（钝口） Open tendon removal (blunt)	410mm	6mm
A602021-6	开口取腱器（钝口） Open tendon removal (blunt)	410mm	7mm
A602021-7	开口取腱器（钝口） Open tendon removal (blunt)	410mm	8mm
A602021-8	开口取腱器（钝口） Open tendon removal (blunt)	410mm	9mm



订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602007-1	闭口取腱器（锐口） Close tendon removal (sharp)	410mm	6mm
A602007-2	闭口取腱器（锐口） Close tendon removal (sharp)	410mm	7mm
A602007-3	闭口取腱器（锐口） Close tendon removal (sharp)	410mm	8mm
A602007-4	闭口取腱器（锐口） Close tendon removal (sharp)	410mm	9mm
A602007-5	闭口取腱器（钝口） Close tendon removal (blunt)	410mm	6mm
A602007-6	闭口取腱器（钝口） Close tendon removal (blunt)	410mm	7mm
A602007-7	闭口取腱器（钝口） Close tendon removal (blunt)	410mm	8mm
A602007-8	闭口取腱器（钝口） Close tendon removal (blunt)	410mm	9mm

骨科钻孔瞄准器
Orthopedic drill sight





订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602003-1	股骨瞄准器I型 Femoral guide version I	250mm	5mm
A602003-2	股骨瞄准器I型 Femoral guide version I	250mm	6mm
A602003-3	股骨瞄准器I型 Femoral guide version I	250mm	7mm






订货代码 Code No.	型号 Description	长度 Length	规格 Size
602003-4	股骨瞄准器II型 Femoral guide version II	250mm	5mm
602003-5	股骨瞄准器II型 Femoral guide version II	250mm	6mm
602003-6	股骨瞄准器II型 Femoral guide version II	250mm	7mm






订货代码 Code No.	型号 Description	长度 Length
A602010	后叉保护器 PCL protector	230mm


骨锉
Bone file




订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602017	圆锉 Round file	230mm	15mm*5mm




订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602024	反口圆锉 Reverse round file	230mm	4.5mm



订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602016	平锉 Flat file	280mm	10mm*5mm




订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602012	双弯平锉 Bone flat file	250mm	4mm





订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A602013	骨刮匙 Bone curette	双弯刮匙 Double curved bone curette	250mm	4mm

ACL/PCL器械包 CJ-01
ACL+PCL instrument set

器械包编码：211052
Code No.







	Name	Description	Specs	Qty.
1	Orthopedic drill sight	Femoral Aimer	5mm open	1
2	Orthopedic drill sight	Femoral Aimer	6mm open	1
3	Orthopedic drill sight	Femoral Aimer	7mm open	1
4	Orthopedic drill sight	Guider Clamp	/	1
5	Bone probe	Arthrocopic prob	30°	1
6	Bone probe	Arthrocopic prob	45°	1
7	Bone probe	Arthrocopic prob	90°	1
8	Orthopedic drill sight	PCL protector	/	1
9	Cutting Knife	Tendor Stripper	7mm Open	1
10	Cutting Knife	Tendor Stripper	7mm Closed	1
11	Bone measuring tool	Depth scale	Φ 4.0 - Φ 12	1
12	Orthopedic drill sight	Main Zig	/	1
13	Orthopedic drill sight	ACL Elbow Aimer	/	1
14	Orthopedic drill sight	PCL Femoral Aimer	/	1
15	Orthopedic drill sight	PCL Tibia Aimer	/	1
16	Orthopedic drill sight	Tube	/	1
17	Kirschner wire	Graft Passing pin	Φ 2.4*320mm	1
18	Kirschner wire	Graft Passing pin	Φ 2.4*20mm	1
19	Bone measuring tool	Depth for ACL/PCL	6mm - 12mm	1
20	Bone measuring tool	Tunnel Plug	7mm - 8mm	1
21	Bone measuring tool	Tunnel Plug	8mm - 9mm	1
22	Bone guider	Handle	/	1
23	Bone measuring tool	Tunnel Plug	7/8/9mm	1 per each size
24	Drill bit	Tibia cannulated drill bit	6/7/8/9/10/11mm	1 per each size
25	Drill bit	Femoral cannulated drill bit	4.5mm	1
26	Drill bit	Femoral cannulated drill bit	6/7/8/9/10/11mm	1 per each size
27	Bone measuring tool	Soft tissue clip	70mm	2
28	Bone measuring tool	Ligament table	Type I	1
29	Orthopedic Wrench	Biolock Screwdriver	3.5 * 2.5mm	1
30	Bone File	Straight Rasp	/	1
31	Bone File	Convex Rasp	/	1
32	Bone guider	Guider Clamp	/	1
33	ACL/PCL Instrument Box		/	

ACL/PCL器械包

ACL+PCL instrument set



ACL/PCL器械包 CJ-03全套器械明细如下：

Details:

器械包编码：211060


Code No.

	Code	Name	Description	Specs
1	A602001	Orthopedic drill sight	Cruciate ligament localizer I	Type I
2	A602001-7	Orthopedic drill sight	Drill sleeve (optional)	Φ 2.5mm
3	A602001-1	Orthopedic drill sight	ACL point to point I	Type I
4	A602001-4	Orthopedic drill sight	PCL tibia localizer I	Type I
5	A602002	Bone measuring tool	Ligament (tendon) measurer (open)	Φ 4.0 - Φ12
6	A602003-2	Orthopedic drill sight	Femoral guide version I	6mm
7	A602025	Bone measuring tool		Type I
8	A602004-2	Drill bit	Tibia cannulated drill bit	4.5mm
9	A602004-5	Drill bit	Tibia cannulated drill bit	6mm
10	A602004-7	Drill bit	Tibia cannulated drill bit	7mm
11	A602004-9	Drill bit	Tibia cannulated drill bit	8mm
12	A602004-11	Drill bit	Tibia cannulated drill bit	9mm
13	A602005-2	Drill bit	Femoral cannulated drill bit	6mm
14	A602005-3	Drill bit	Femoral cannulated drill bit	7mm
15	A602005-4	Drill bit	Femoral cannulated drill bit	8mm
16	A602005-5	Drill bit	Femoral cannulated drill bit	9mm
17	A602006	Bone measuring tool	Ligament depth gauge	Type I
18	A602007-2	Cutting knife	Close tendon removal (sharp)	7mm
19	A602010	Orthopedic drill sight	PCL protector	230mm
20	A602011-1	Kirschner wire	Flat shovel	4mm
21	A602011-2	Kirschner wire	Kirschner Wire I	Φ 2.5mm
22	A602015	Bone probe	Probe	Φ 1.4*4.2mm
23	A602018	Kirschner wire	Guide needle	Φ1.2*385mm
24	WG211060	ACL/PCL Instrument Box (Simple)		/

骨导引器

Bone guider





鞘插入器

Sheath interposer



订货代码 Code No.	长度 Length	规格 Size
S604001-1	185mm	7mm
S604001-2	185mm	8mm
S604001-3	185mm	9mm
S604001-4	185mm	10mm
S604001-5	185mm	11mm

S604001-6 鞘插入器（球头） 185mm
sheath interposer(ball tip)

扩张器

Ligament expander

订货代码 Code No.		
S604002-1	185mm	6mm
S604002-2	185mm	7mm
S604002-3	185mm	8mm
S604002-4	185mm	9mm
S604002-5	185mm	10mm
S604002-6	185mm	11mm



D603010 骨锤 骨锤金属柄 190mm 100g
bone hammer hammer(metal handle)



S604003 快装手柄 T型快装手柄（金属柄） 175mm
quick-coupling handle T-shape handle(metal handle)



S604004 骨测量器 多束分离器 Ⅰ型
Bone Measuring Tool Ligament/tendon braid tool

骨科用扳手
Orthopedic wrench





订货代码 Code No.	型号 Description	长度 Length	规 S
D603011-3	界面钉上钉器 Interface screw installer	275mm	18mm
D603011-7	界面钉上钉器 Interface screw installer	275mm	12mm



订货代码 Code No.	型号 Description	长度 Length	规 S
D603011-1	界面钉上钉器 Interface screw installer	275mm	23mm



订货代码 Code No.	型号 Description	长度 Length	规 S
D603011-2	界面钉上钉器 Interface screw installer	275mm	30mm



订货代码 Code No.	型号 Description	长度 Length	规 S
A602022	界面钉上钉器 Interface screw installer	275mm	36mm



订货代码 Code No.	型号 Description	长度 Length	规 S
S604007	界面钉上钉器 Interface screw installer	275mm	36mm



订货代码 Code No.	型号 Description	长度 Length	规 S
S604012	界面钉上钉器 Interface screw installer	270mm	27mm

Interface Nail Instrument
界面钉工具

快装界面钉上钉器
Interface screw installer(quick coupling)

可适配不同厂家型号
Apply to different company's interface screw



订货代码 Code No.	名称 Name	型号 Description	长度 Length
602028	快装手柄 Shape handle	棘轮手柄 Rachet handle	170mm

骨科用扳手
Orthopedic wrench



订货代码 Code No.	型号 Description	规 S
D603011-6	界面钉上钉器（快装） Interface screw installer(quick coupling)	18mm



订货代码 Code No.	型号 Description	规 S
D603011-4	界面钉上钉器（快装） Interface screw installer(quick coupling)	23mm



订货代码 Code No.	型号 Description	规 S
D603011-5	界面钉上钉器（快装） Interface screw installer(quick coupling)	30mm



订货代码 Code No.	型号 Description	规 S
A602022-1	界面钉上钉器（快装） Interface screw installer(quick coupling)	36mm



订货代码 Code No.	型号 Description	规 S
S604007-1	界面钉上钉器（快装） Interface screw installer(quick coupling)	36mm

界面钉工具包
Interface screw installer instrument set



器械包编码：211061
Code No.

适用于：创伤性损伤、骨软骨疾病、局限性损伤、周围软骨完整。

Apply to traumatic injury, cartilage disease,localized damage peripheral cartilage intact





订货代码 Code No.	产品名称 Name
WG0040	软骨移植器械盒 Cartilage removal instrument set

订货代码 Code No.	名称 Name	型号 Description	长度 Length	头部直径 Head Dia
218082	骨凿 Chisel	软骨取出器 cartilage column extractor	250mm	6mm
218067	骨凿 Chisel	软骨取出器 cartilage column extractor	250mm	6.5mm
218066	骨凿 Chisel	软骨取出器 cartilage column extractor	250mm	7mm
218068	骨凿 Chisel	软骨取出器 cartilage column extractor	250mm	7.5mm
218051	骨凿 Chisel	软骨取出器 cartilage column extractor	250mm	8mm
218069	骨凿 Chisel	软骨取出器 cartilage column extractor	250mm	8.5mm
218052	骨凿 Chisel	软骨取出器 cartilage column extractor	250mm	9mm
218070	骨凿 Chisel	软骨取出器 cartilage column extractor	250mm	9.5mm
218053	骨凿 Chisel	软骨取出器 cartilage column extractor	250mm	10mm

订货代码 Code No.	名称 Name	型号 Description	长度 Length	头部直径 Head Dia
218079-9	导钻 drill guide	软骨导向器 guider		6mm
218079-1	导钻 drill guide	软骨导向器 guider		6.5mm
218079-2	导钻 drill guide	软骨导向器 guider		7mm
218079-3	导钻 drill guide	软骨导向器 guider		7.5mm
218079-4	导钻 drill guide	软骨导向器 guider		8mm
218079-5	导钻 drill guide	软骨导向器 guider		8.5mm
218079-6	导钻 drill guide	软骨导向器 guider		9mm
218079-7	导钻 drill guide	软骨导向器 guider		9.5mm
218079-8	导钻 drill guide	软骨导向器 guider		10mm
218054	打入器 impactor	软骨打入器 cartilage impactor	150mm	Φ0.8
218065	骨测量器 Bone Measuring Tool	测量棒 measurer		Φ5.0

导钻

Drill guide



订货代码 Code No.	型号 Description	长度 Length	规格 Size
608011-4	双针导向器 Dual needle protector	170mm	右前 Right/Front



订货代码 Code No.	型号 Description	长度 Length	规格 Size
608011-1	双针导向器 Dual needle protector	170mm	左前 Left/Front



订货代码 Code No.	型号 Description	长度 Length	规格 Size
608011-5	双针导向器 Dual needle protector	170mm	右中 Right/Middle



订货代码 Code No.	型号 Description	长度 Length	规格 Size
608011-2	双针导向器 Dual needle protector	170mm	左中 Left/Middle



订货代码 Code No.	型号 Description	长度 Length	规格 Size
608011-6	双针导向器 Dual needle protector	170mm	右后 Right/Back



订货代码 Code No.	型号 Description	长度 Length	规格 Size
608011-3	双针导向器 Dual needle protector	170mm	左后 left/Back

骨锉
Bone file





订货代码 Code No.	型号 Description	长度 Length	规格 Size
608006-2	半月板锉I型 Meniscus file I	220mm	Φ2.5*4*40°





订货代码 Code No.	型号 Description	长度 Length	规格 Size
608006-1	半月板锉I型 Meniscus file I	220mm	Φ2.5*4*90°



订货代码 Code No.	名称 Name	型号 Description	规格 Size
A602015-5	骨探针 bone probe	探钩（弧型） probe (arc)	Φ1.5*3.4mm



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
608002	骨科用保护器 protector for	半月板保护器 meniscus dual needle protector	60mm	20mm



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
608020	导钻 drill guide	半月板导向器 Meniscus guide	120mm	I型



订货代码 Code No.	名称 Name	型号 Description	长度 Length	剪切范围 Cutting range
608015	膝关节韧带手术剪 knee joint ligament scissors	推结剪线器 knot pusher & cutter	145mm	≤0.7mm

骨科用穿线器
Threader for orthopedic





订货代码 Code No.	型号 Description	长度 Length	规格 Size
601001-2	缝合弯钩（右） suture hook(right)	300mm	25°



订货代码 Code No.	型号 Description	长度 Length	规格 Size
601001-1	缝合弯钩（左） suture hook(left)	300mm	25°



订货代码 Code No.	型号 Description	长度 Length	规格 Size
601001-10	缝合弯钩（右） suture hook(right)	300mm	45°



订货代码 Code No.	型号 Description	长度 Length	规格 Size
601001-9	缝合弯钩（左） suture hook(left)	300mm	45°



订货代码 Code No.	型号 Description	长度 Length	规格 Size
601001-8	缝合弯钩（右） suture hook(right)	300mm	60°



订货代码 Code No.	型号 Description	长度 Length	规格 Size
601001-7	缝合弯钩（左） suture hook(left)	300mm	60°

骨科用穿线器
Threader for orthopedic





订货代码 Code No.	型号 Description	长度 Length	规格 Size
601001-6	缝合弯钩（右） suture hook(right)	300mm	90°



订货代码 Code No.	型号 Description	长度 Length	规格 Size
601001-5	缝合弯钩（左） suture hook(left)	300mm	90°



订货代码 Code No.	型号 Description	长度 Length
601001-11	缝合弯钩（直） suture hook(straight)	300mm



订货代码 Code No.	型号 Description	长度 Length	规格 Size
601001-4	缝合弯钩（月牙形） suture hook(moon shape)	300mm	12.5°



订货代码 Code No.	型号 Description	长度 Length	规格 Size
601001-3	缝合弯钩（月牙形） suture hook(moon shape)	300mm	25°

骨科用穿线器
Threader for orthopedic



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
601006	骨定位针 Bone needle	导引线 guide wire	550mm	Φ1.2



订货代码 Code No.	名称 Name	型号 Description	长度 Length
601004	快装手柄 quick-coupling handle	缝合弯钩手柄 suture hook handle	130mm
601004-12	快装手柄 quick-coupling handle	滚轮手柄 roller handle	135mm

缝合弯钩手柄、缝合弯钩头
Suture hook（handle/shaft disassembled）

缝合弯钩头
Suture hook shaft



订货代码 Code No.	长度 Length	规格 Size
601004-1	170mm	左25° left
601004-2	170mm	右25° right
601004-9	170mm	左45° left
601004-10	170mm	右45° right
601004-7	170mm	左60° left
601004-8	170mm	右60° right
601004-5	170mm	左90° left
601004-6	170mm	右90° right
601004-11	170mm	直型 straight
601004-4	170mm	月牙形12.5° moon shape
601004-3	170mm	月牙形25° moon shape

缝合弯钩工具包
Suture hook instrument set



快装缝合弯钩工具包
Suture hook instrument set(quick coupling)





骨用丝锥
Tap

4.5 I



订货代码 Code No.	型号 Description	长度 Length	规格 Size
D603001-2	开口丝锥 opening screw tap	260mm	Φ4.5

5.5 I



订货代码 Code No.	型号 Description	长度 Length	规格 Size
D603001-1	开口丝锥 opening screw tap	260mm	Φ5.5

4.5II



订货代码 Code No.	型号 Description	长度 Length	规格 Size
D603001-3	丝攻（头部挤螺纹型） screw tap (squeeze thread type)	245mm	Φ4.5

4.5II

5.5/6.5II



订货代码 Code No.	型号 Description	长度 Length	规格 Size
D603001-6	丝攻 screw tap	285mm	Φ3.3/Φ4.5
D603001-5	丝攻 screw tap	285mm	Φ4.0/Φ5.7

3.4



订货代码 Code No.	型号 Description	长度 Length	规格 Size
D603001-4	丝攻 screw tap	320mm	Φ2.6/Φ3.5

骨锥
Bone cone

4.5/5.5/6.5 I



订货代码 Code No.	型号 Description	长度 Length	规格 Size
D603002-3	开口器（锥形） probe (taper tip)	265mm	Φ3.1/Φ3.6

4.5 II



订货代码 Code No.	型号 Description	长度 Length	规格 Size
D603002-1	开口器（锥形） probe (taper tip)	285mm	Φ3.2/Φ3.8

5.5/6.5 II



订货代码 Code No.	型号 Description	长度 Length	规格 Size
D603002-2	开口器（锥形） probe (taper tip)	285mm	Φ3.5/Φ4.3



骨锥
Bone cone



订货代码 Code No.	型号 Description	长度 Length	规格 Size
A605002-1	开口器 probe	245mm	3.5mm



订货代码 Code No.	型号 Description	长度 Length	规格 Size
A605002-2	开口器 probe	245mm	4.5mm



订货代码 Code No.	型号 Description	长度 Length	规格 Size
A605002-3	开口器 probe	245mm	4.75mm/5.5mm

骨用丝锥
Tap



订货代码 Code No.	型号 Description	长度 Length	规格 Size
A605001-1	丝锥 screw tap	245mm	4.5mm
A605001-2	丝锥 screw tap	245mm	4.75mm
A605001-3	丝锥 screw tap	245mm	5.5mm



骨用丝锥
Tap



订货代码 Code No.	型号 Description	长度 Length	规格 Size
S604006	丝攻 screw tap	280mm	4.5mm



订货代码 Code No.	型号 Description	长度 Length	规格 Size
S604014	丝攻 screw tap	280mm	5.5mm
R604015	丝攻 screw tap	280mm	4.5mm

骨锥
Bone cone



订货代码 Code No.	型号 Description	长度 Length	规格 Size
S604005	开口器 probe	280mm	4.5mm



订货代码 Code No.	型号 Description	长度 Length	规格 Size
601003	开路锥（尖头） open cone	255mm	Φ3.8

适用于 2.0 锚钉
Apply to 2.0 anchor



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A605007-3	导钻 drill guide	盂唇导向器 glenoid labrum guider	230mm	Φ2.0



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A605007-4	骨牵引针 kirschner wire	球头导针 guide needle (ball tip)	240mm	Φ2.0



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A605007-5	骨定位针 Bone needle	定位针 guide pin	240mm	Φ2.0



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A605007-6	骨科钻头 drill bit	普通钻头 drill bit	265mm	Φ2.0

适用于 2.4 锚钉
Apply to 2.4 anchor



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A605007-7	导钻 drill guide	盂唇导向器 glenoid labrum guider	230mm	Φ2.4



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A605007-8	骨牵引针 kirschner wire	球头导针 guide needle (ball tip)	240mm	Φ2.4



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A605007-9	骨定位针 Bone needle	定位针 guide pin	240mm	Φ2.4



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A605007-10	骨科钻头 drill bit	普通钻头 drill bit	265mm	Φ2.4

适用于 2.9、3.0 锚钉
Apply to 2.9、3.0 anchor



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A605003-3	导钻 drill guide	盂唇导向器 glenoid labrum guider	230mm	Φ3.0



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A605006-1	骨牵引针 drill guide	球头导针 labral guider	240mm	Φ3.0



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A605006-2	骨定位针 Bone needle	定位针 guide pin	240mm	Φ3.0



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A605007-1	骨科钻头 drill bit	普通钻头 drill bit	265mm	Φ2.9
A605007-2	骨科钻头	普通钻头	265mm	Φ2.4

适用于 3.5 锚钉
Apply to 3.5 anchor



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A605007-11	导钻 drill guide	盂唇导向器 glenoid labrum guider	230mm	Φ3.8



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A605007-12	骨牵引针 drill guide	球头导针 labral guider	240mm	Φ3.7



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A605007-13	骨定位针 Bone needle	定位针 guide pin	240mm	Φ3.7



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A605007-14	骨科钻头 drill bit	普通钻头 drill bit	265mm	Φ3.3

适用于 3.0 锚钉
Apply to 3.0 anchor



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
D606007	导钻 drill guide	孟唇导向器 glenoid labrum guider	230mm	Φ3.3 (锯齿型) serrated type



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
D606004	导钻 drill guide	孟唇导向器 glenoid labrum guider	230mm	Φ3.5 (锯齿开槽型) serrated slot type



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
D606005	骨定位针 Bone needle	定位针 guide pin	240mm	Φ3.2



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
D606006	骨科钻头 drill bit	孟唇钻头 glenoid labrum drill bit	270mm	Φ3.0

适用于 3.2 锚钉
Apply to 3.2 anchor



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
D606008-1	导钻 drill guide	孟唇导向器 glenoid labrum guider	230mm	Φ4.3 (锯齿型) serrated type



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
D606008-2	骨定位针 Bone needle	定位针 guide pin	250mm	Φ4.2



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
D606008-3	骨科钻头 drill bit	孟唇钻头 glenoid labrum drill bit	270mm	Φ2.9

适用于 2.3 锚钉
Apply to 2.3 anchor



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
S606001	导钻 drill guide	孟唇导向器 glenoid labrum guider	265mm	Φ3.2 (鱼嘴型) fish mouth



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
S606002	骨定位针 Bone needle	定位针 guide pin	300mm	Φ3.0



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
S606003	骨锥 Bone cone	孟唇开口器 glenoid labrum probe	320mm	Φ2.6

适用于 2.9 锚钉
Apply to 2.9 anchor



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
S604011	导钻 drill guide	孟唇导向器 glenoid labrum guider	265mm	Φ4.1 (鱼嘴型尖端) sharp fish mouth



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
S604013	导钻 drill guide	孟唇导向器 glenoid labrum guider	265mm	Φ4.1 (王冠型) crown mouth



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
S604008	骨定位针 Bone needle	定位针 guide pin	290mm	Φ4.0




订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
S604009	骨锥 Bone cone	孟唇开口器 glenoid labrum probe	315mm	Φ2.7



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
S604010	骨科钻头 drill bit	孟唇钻头 glenoid labrum drill bit	315mm	Φ3.4

骨锥
Bone cone



20°



订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602019-1	软骨锥I型 Soft tissue awl I	240mm	20°

40°



订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602019-2	软骨锥I型 Soft tissue awl I	240mm	40°

60°



订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602019-3	软骨锥I型 Soft tissue awl I	240mm	60°

80°




订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602019-5	软骨锥I型 Soft tissue awl I	240mm	80°

90°



订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602019-4	软骨锥I型 Soft tissue awl I	250mm	90°

骨锥
Bone cone



20°



订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602019-6	软骨锥II型 Soft tissue awl II	280mm	20°

40°



订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602019-7	软骨锥II型 Soft tissue awl II	280mm	40°

60°



订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602019-8	软骨锥II型 Soft tissue awl II	280mm	60°

80°



订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602019-10	软骨锥II型 Soft tissue awl II	280mm	80°

90°



订货代码 Code No.	型号 Description	长度 Length	规格 Size
A602019-9	软骨锥II型 Soft tissue awl II	280mm	90°

20°



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
218075-1	骨锥 Bone cone	微骨折软骨锥 Microfracture soft tissue awl	240mm	20°

45°



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
218075-2	骨锥 Bone cone	微骨折软骨锥 Microfracture soft tissue awl	240mm	45°

65°



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
218075-3	骨锥 Bone cone	微骨折软骨锥 Microfracture soft tissue awl	240mm	65°

90°



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
218075-4	骨锥 Bone cone	微骨折软骨锥 Microfracture soft tissue awl	240mm	90°



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
218072-1	骨凿 Chisel	微骨折骨铲 Microfracture Bone shovel	240mm	4mm



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
218072-2	骨凿 Chisel	微骨折骨铲 Microfracture Bone shovel	240mm	6mm



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
218074-1	骨凿 Chisel	微骨折骨凿（直） Microfracture Chisel(straight)	240mm	4mm
218074-3	骨凿 Chisel	微骨折骨凿（直） Microfracture Chisel(straight)	240mm	6mm



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
218074-2	骨凿 Chisel	微骨折骨凿（弯） Microfracture Chisel(curved)	240mm	4mm
218074-4	骨凿 Chisel	微骨折骨凿（弯） Microfracture Chisel(curved)	240mm	6mm



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
218073	骨探针 Bone probe	微骨折探钩 Microfracture probe	240mm	7mm



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
218076	骨锥 Bone cone	微骨折打入器 Microfracture impactor	225mm	5mm



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
218071-1	骨刮匙 bone curette	微骨折刮匙 Microfracture curette	240mm	3.5mm*15°



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
218071-2	骨刮匙 bone curette	微骨折刮匙 Microfracture curette	240mm	5mm*15°

骨折手术基础器械包

microfracture instrument set



微骨折手术器械箱全套器械明细如下：


Details:


器械包编码：211050
Code No.

	Code	Name	Description	Specs	Qty.
1	218071-1	Bone curette	Microfracture curette	3.5*15°	1
2	218071-2	Bone curette	Microfracture curette	5.0*15°	1
3	218072-1	Chisel	Microfracture Bone Shovel	4mm	1
4	218072-2	Chisel	Microfracture Bone Shovel	6mm	1
5	218073	Bone probe	Microfracture probe	7mm	1
6	218074-1	Chisel	Microfracture Chisel (straight)	4mm	1
7	218074-2	Chisel	Microfracture Chisel (curved)	4mm	1
8	218074-3	Chisel	Microfracture Chisel (straight)	6mm	1
9	218074-4	Chisel	Microfracture Chisel (curved)	6mm	1
10	218075-1	Bone cone	Microfracture soft tissue awl	20°	1
11	218075-2	Bone cone	Microfracture soft tissue awl	45°	1
12	218075-3	Bone cone	Microfracture soft tissue awl	65°	1
13	218075-4	Bone cone	Microfracture soft tissue awl	90°	1
14	218076	Bone cone	Microfracture impactor	5mm	1
15	WG211050	Microfracture Instrument Box		/	1

距腓前韧带重建器械箱

Ligamenta talofibulare anterius reconstruction







订货代码 Code No.	名称 Name	型号 Description	长度 Length
A607004	快装手柄 quick-coupling handle	ATFL手柄 handle	125mm



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A607001	导钻 drill guide	ATFL导向器 guider	105mm	Φ3.9mm



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A607002-1	骨用丝锥 tap	ATFL丝攻 screw tap	152mm	Φ3.5mm




订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A607002-2	骨用丝锥 tap	ATFL丝攻 screw tap	152mm	Φ4.75mm



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A607003-1	骨科钻头 drill bit	ATFL钻头 drill bit	97mm	Φ2.8mm



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
A607003-2	骨科钻头 drill bit	ATFL钻头 drill bit	97mm	Φ3.4mm



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
218064	骨科钻孔瞄准器 orthopedic drill sight	跟腱钻孔瞄准 drill sight	/	I型
218056	快装手柄 quick-coupling handle	跟腱缝合手柄 handle	140mm	



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
218057	骨科用穿线器 threader for orthopedic	穿线器 Threader	220mm	弧型 arc



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
218058	骨科用穿线器 threader for orthopedic	穿线器 Threader	240mm	直型 straight



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
218059	骨科用穿线器 threader for orthopedic	穿线器 Threader	175mm	小号 small



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
218055	骨牵引针 kirschner wire	穿线导针 threading needle	130mm	Φ1.5



订货代码 Code No.	名称 Name	型号 Description	长度 Length
218060	快装手柄 quick-coupling handle	跟腱缝合顶针 thimble	65mm



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
218062	夹持钳 Holding forceps	跟腱抓钳 holding forceps	160mm	001号



订货代码 Code No.	名称 Name	型号 Description	长度 Length	规格 Size
301003-1	持针钳 needle holder	镶合金直 alloy&straight	125mm	0.3mm

跟腱缝合器械包

Achilles tendon and ligament revision instrument set



跟腱韧带修复器械箱全套器械明细如下：器械包编码：211030-2

Details: Code No.

Code	Name	Description	Specs	Qty.
218064	Orthopedic drill sight	Drill sight	Type I	1
218055	Kirschner Wire	Threading needle	Φ 1.5	1
218056	Quick-coupling Handle	Handle	140mm	1
218057	Threader for orthopedic	Threader	220mm Arc	1
218058	Threader for orthopedic	Threader	240mm Straight	1
218059	Threader for orthopedic	Threader	175mm Small	1
218060	Quick-coupling Handle	Thimble	65mm	1
218062	Holding Forceps	Holding forceps	160mm	1
601006	Bone needle	Guide wire	Φ 1.2	3
301003-1	Needle holder	Alloy & stright	125*0.3mm	1
WG211030-2	Tendon and Ligament revision instrument box		/	1



Well Trust

SPORT MEDICINE

PART 4

Arthroscopy Traction Device

+86 13352097710

Nankai District, Tianjin, China

www.well-orthopedic.com

www.wtt-arthroscopy.com

万向臂集强度与灵活度于一身，它可以术中随时调整方向和强度，提供各种角度的牵引和定位。通过专用牵引附件可用于各种肩、肘、膝、踝、手部等关节手术，可使医生独立固定体位，无需助手辅助，使手术更高效便捷。

The Spider Arm combines strength and flexibility; it can be adjusted in direction and strength at any time during surgery, providing traction and positioning at various angles. It can be used for all kinds of shoulder, elbow, knee, ankle, hand and other joint surgeries through the special traction attachments, which enables the surgeon to fix the position independently without the aid of assistants, making the surgery more efficient and convenient.



Arthroscopy Traction Device
关节镜牵引装置

简单易用 Simple and easy to use

■易于安装固定，能与大部分标准手术床的横杆连接。
Easy to install and fix, can be attached to the crossbar of most standard surgical beds.
■六轴设计，360°全面运动。
Six-axis design with full 360° movement.
■松开手，外科手术固定器械立即悬停，纹丝不动。
Release the hand and the surgical fixation instrument immediately hovers and does not move.
■万向臂可以使用在多种关节手术中，只需搭配不同的附件。
The Spider Arm can be used in a wide range of joint surgeries, simply with different attachments.

无源设计 Passive design

■无需任何电源或者气动装置。
No power supply or pneumatic device is required.
■零耗电、零气动，零噪音。
Zero power consumption, zero pneumatic, zero noise.

强度高 High strength

■最大承重可达30kg。
Maximum weight capacity is up to 30kg.
■一旦肢体被固定，牵引部件都会保持一致。
Once the limb is immobilized, the traction components all stay together.
■集强度与灵活度于一身，可使医生在术中独立操作。
The combination of strength and flexibility allows the surgeon to operate independently during the operation.
■医生可以根据需求随意调整固定体位，并保持稳定。
The doctor can adjust the immobilization position as needed and keep it stable.

主体/Main Part	
101772	机械臂/Robotic Arm
	转换器/Resolver

肩关节固定配件
Shoulder Fixation Accessories

沙滩椅体位 Beach chair position

-医生可以在无菌区对患者进行多种体位的固定。
Physicians can immobilize patients in a variety of positions in a sterile area.
-可以对患侧肩关节进行外展、内旋、弯曲和伸直的牵引。
Traction can be applied to the affected shoulder joint in abduction, internal rotation, flexion and extension.



竖向托架/Vertical Bracket
100643



Arthroscopy Traction Device
关节镜牵引装置

肩关节固定配件
Shoulder Fixation Accessories

侧卧位 Side-lying position

-可以控制内旋和外旋。
Can control internal and external rotation.
-无需重量附件帮助牵引。
No weight attachments needed to help with traction.
-可靠的稳定性。
Reliable stability.



横向托架/Transverse Bracket
100642





腿部固定配件
Leg Fixing Accessories

-易于腿部在弯曲和伸展时固定手术体位。
Easily immobilizes the leg in the surgical position during flexion and extension.
-为关节置换手术提供稳定的固定位。
Provides stable immobilization for joint replacement surgery.



腿部托架/Leg Brackets
100864



Arthroscopy Traction Device
关节镜牵引装置

膝关节固定配件
Knee Fixation Accessories

-可获得屈伸，外展，内旋等多种体位。
Multiple positions of flexion, extension, abduction and internal rotation can be obtained.
-外展或内旋时可以进行精细的微调。
Fine micro-adjustments can be made in abduction or internal rotation.
-为半月板修复手术提供稳定的固定位。
Provides stable fixation position for meniscus repair surgery.



脚部托架/Foot Bracket
100652



肘关节固定配件
Elbow Fixation Accessories

-易于肘关节在弯曲和伸展时固定手术体位。
Easy to immobilize the elbow in surgical position in flexion and extension.
-手掌的反向和正向固定均可实现。
Reverse and forward immobilization of the hand can be achieved.
-推荐仰卧位进行手术。
Recommended supine position for surgery.



肘部托架/Elbow Bracket
100651



Arthroscopy Traction Device
关节镜牵引装置

腕关节固定配件
Wrist Fixation Accessories

-无需任何砝码类物品帮助牵引。
No need for any weight type items to help with traction.
-可以很好的控制手掌的位置。
Can control the position of your hand very well.



手部托架/Hand Bracket
100838




踝关节固定配件
Ankle Fixation Accessories

-能很好地牵引脚部，提供清晰的手术视野和足够的操作空间。
Provides good traction on the foot, clear surgical view and adequate operating space.
-为踝关节手术提供牵引、复位和固定等作用。
Provides traction, repositioning and immobilization for ankle surgery.



踝关节牵引架/Ankle Traction Frame
101689



Arthroscopy Traction Device
关节镜牵引装置

医疗持镜专家麒麟臂
Medical Spider Arm

无源六轴360°
Passive six-axis 360°



主 体/Main Part	
101456	机械臂/Robotic Arm
	夹持头/Gripper

医疗持镜专家 Medical Mirror Holding Specialist

■ “麒麟臂”应用于各类微创手术，手术中解放医生的双手，用于稳定内窥镜及器械，保障视野平稳，术中安全高效。

“Spider Arm” is used in all kinds of minimally invasive surgeries, freeing the surgeon's hands during surgery, stabilizing endoscopes and instruments, guaranteeing a smooth field of vision, and providing safety and efficiency during surgery.

无源机械，六轴360° Passive mechanical, six-axis 360°

■ “麒麟臂”为无源机械持镜臂，六轴360度灵活设计，快速移动内窥镜，在任何位置可瞬间悬停，保障手术的高要求。

“Spider Arm” is a passive mechanical Spider Arm with 6-axis 360° flexible design, which can move the endoscope quickly and hover instantly at any position to ensure the high requirements of surgery.

零耗电,零气动,零噪音Zero Power Consumption, Zero Pneumatic, Zero Noise

■ “麒麟臂”无需电源，无需气动，全程静音，安全稳定。

“Spider Arm” is a passive mechanical Spider Arm with 6-axis 360° flexible design, which can move the endoscope quickly and hover instantly at any position to ensure the high requirements of surgery.

各类内镜手术 Various endoscopic surgeries

■ “麒麟臂”可应用于各类腔镜手术，包括神经外科、脊柱关节、耳鼻喉手术、腹腔手术、泌尿手术、妇科手术等微创腔镜领域。

“Spider Arm” can be used in all kinds of endoscopic surgeries, including neurosurgery, spine and joints, ear, nose and throat surgeries, laparoscopic surgeries, urological surgeries, gynecological surgeries, and other minimally invasive endoscopic fields.er instantly at any position to ensure the high requirements of surgery.





Arthroscopy Traction Device
关节镜牵引装置

产品应用 Product Applications



神外/Neurosurgery



耳鼻喉/Otolaryngology



骨科/Orthopedics



普外/Neurosurgery



泌尿/Urology



妇科/Otolaryngology

肩关节镜牵引装置
Shoulder Arthroscopy Traction Device



Functional features

- Traction frame seriesShoulder traction frame is mainly used for shoulder arthroscopy surgery, muscle rupture, elbow and wrist traction in surgery, etc.
- The disposable arm traps is required for shoulder traction surgery.
- According to the surgery need, the height of the traction frame and the angle of left and right rotation can be adjusted by the different angles of the three hanging loops, and use with the weights or infusion bags.

腕关节镜牵引塔
Wrist Arthroscopy Traction Tower



Functional features

- The uniquely designed traction device is easy to install and operate, providing a better operating environment for the surgeon.
- It is mainly used for disinfection and traction of hand, wrist and forearm surgery.

Arthroscopy Traction Device
关节镜牵引装置

肘关节镜牵引装置
Elbow Arthroscopy Traction Device



Functional features

- It can be connected with any brand operating bed. The overall height can be adjusted, and it can be rotated and telescopic to meet the surgical needs of patients with different posture. The multi-joint design can meet the needs of rapid adjustment and fine adjustment of the preoperative position fixation.
- The tractor has a fine tuning tractor with laser engraving for clear and accurate traction distance control.

踝关节镜牵引装置
Ankle Arthroscopy Traction Device



Functional features

- The traction angle (strength) can be adjusted according to the traction gap of the ankle arthroscopy, which opens up the operation space and prevents the traction frame from interfering with the operation area.
- Simple installation and operation, easy to clean and disinfect.